

ATTORGOMMA Snc di Fabio Rotta C.

SEZIONE "AX"

Tipo	Sviluppo Int. (mm)	€ / cad.
AX 29	737	
AX 30	762	
AX 31	787	
AX 32	810	
AX 33	838	
AX 34	863	
AX 35	890	
AX 36	914	
AX 37	940	
AX 38	965	
AX 39	990	
AX 40	1016	
AX 41	1041	
AX 42	1067	
AX 43	1092	
AX 44	1120	
AX 45	1143	
AX 46	1168	
AX 47	1194	
AX 48	1220	
AX 49	1250	
AX 50	1270	
AX 51	1295	
AX 52	1320	
AX 53	1346	
AX 54	1372	
AX 55	1400	
AX 56	1425	
AX 57	1450	
AX 58	1475	
AX 59	1500	
AX 60	1525	
AX 61	1550	
AX 62	1575	
AX 63	1600	
AX 64	1625	
AX 65	1650	
AX 66	1675	
AX 67	1700	
AX 68	1725	
AX 69	1750	
AX 70	1775	
AX 71	1800	
AX 72	1826	
AX 73	1854	
AX 74	1880	
AX 75	1905	
AX 76	1930	
AX 77	1956	

SEZIONE "AX"

Tipo	Sviluppo Int. (mm)	€ / cad.
AX 78	1981	
AX 79	2005	
AX 80	2031	
AX 81	2060	
AX 82	2083	
AX 83	2100	
AX 84	2133	
AX 85	2160	
AX 86	2185	
AX 87	2210	
AX 88	2235	
AX 89	2260	
AX 90	2286	
AX 91	2311	
AX 92	2337	
AX 93	2362	
AX 94	2383	
AX 95	2413	
AX 96	2438	
AX 97	2464	

Peso della cinghia = 114 g/m

SEZIONE "BX"

Tipo	Sviluppo Int. (mm)	€ / cad.
BX 28	710	
BX 32	813	
BX 34	863	
BX 35	890	
BX 36	914	
BX 38	965	
BX 40	1016	
BX 41	1041	
BX 42	1067	
BX 43	1092	
BX 44	1120	
BX 45	1143	
BX 46	1168	
BX 47	1194	
BX 48	1220	
BX 49	1250	
BX 50	1270	
BX 51	1295	
BX 52	1320	
BX 53	1346	
BX 54	1372	
BX 55	1400	
BX 56	1425	
BX 57	1450	
BX 58	1475	
BX 59	1500	
BX 60	1525	
BX 61	1550	
BX 62	1575	
BX 63	1600	
BX 64	1625	
BX 65	1650	
BX 66	1675	
BX 67	1700	
BX 68	1725	
BX 69	1750	
BX 70	1775	
BX 71	1800	
BX 72	1825	
BX 73	1854	
BX 74	1880	
BX 75	1905	
BX 76	1930	
BX 77	1956	
BX 78	1981	
BX 79	2005	
BX 80	2031	
BX 81	2058	
BX 82	2083	
BX 83	2100	
BX 84	2133	
BX 85	2160	
BX 86	2185	
BX 87	2210	
BX 88	2235	
BX 89	2260	
BX 90	2286	

ATTORGOMMA Snc di Fabio Rotta C.

SEZIONE "BX"

Tipo	Sviluppo Int. (mm)	€ / cad.
BX 91	2311	
BX 92	2337	
BX 93	2362	
BX 94	2388	
BX 95	2413	
BX 96	2438	
BX 97	2464	
BX 98	2490	
BX 100	2540	
BX 105	2667	
BX 110	2795	
BX 116	2945	
BX 120	3048	

Peso della cinghia = 162 g/m

SEZIONE "CX"

Tipo	Sviluppo Int. (mm)	€ / cad.
CX 51	1295	
CX 53	1346	
CX 55	1400	
CX 60	1525	
CX 68	1725	
CX 72	1826	
CX 75	1905	
CX 78	1981	
CX 81	2058	
CX 85	2160	
CX 87	2211	
CX 90	2286	
CX 93	2362	
CX 96	2438	
CX 100	2540	
CX 110	2795	
CX 114	2896	

Peso della cinghia = 297 g/m

ATTORGOMMA Snc di Fabio Rotta C.

SEZIONE "XPZ"		
Tipo	Norme Americane	€/ cad.
XPZ 587		
XPZ 607		
XPZ 612		
XPZ 630	3VX 250	
XPZ 637		
XPZ 662	3VX 260	
XPZ 670	3VX 265	
XPZ 687		
XPZ 710	3VX 280	
XPZ 722		
XPZ 737		
XPZ 750		
XPZ 762	3VX 300	
XPZ 775		
XPZ 787		
XPZ 800	3VX 315	
XPZ 812		
XPZ 837		
XPZ 850	3VX 335	
XPZ 862		
XPZ 875		
XPZ 887	3VX 350	
XPZ 900	3VX 355	
XPZ 912		
XPZ 925		
XPZ 937		
XPZ 950	3VX 375	
XPZ 960		
XPZ 962		
XPZ 975		
XPZ 987		
XPZ 1000		
XPZ 1012	3VX 400	
XPZ 1024		
XPZ 1037		
XPZ 1047		
XPZ 1060		
XPZ 1062		
XPZ 1077	3VX 425	
XPZ 1087		
XPZ 1112		
XPZ 1120		
XPZ 1137	3VX 450	
XPZ 1140		
XPZ 1147		
XPZ 1162		
XPZ 1180		
XPZ 1187		
XPZ 1202	3VX 475	
XPZ 1212		
XPZ 1237		
XPZ 1250		
XPZ 1262	3VX 500	
XPZ 1270		
XPZ 1287		
XPZ 1312		
XPZ 1320	3VX 520	

SEZIONE "XPZ"		
Tipo	Norme Americane	€/ cad.
XPZ 1337	3VX 530	
XPZ 1340		
XPZ 1362		
XPZ 1387		
XPZ 1400		
XPZ 1412	3VX 560	
XPZ 1420		
XPZ 1437		
XPZ 1462		
XPZ 1487		
XPZ 1500		
XPZ 1512		
XPZ 1537		
XPZ 1562	3VX 617	
XPZ 1587		
XPZ 1600		
XPZ 1612		
XPZ 1637		
XPZ 1662		
XPZ 1687		
XPZ 1700	3VX 670	
XPZ 1737		
XPZ 1762		
XPZ 1787		
XPZ 1800	3VX 710	
XPZ 1812		
XPZ 1850		
XPZ 1862		
XPZ 1887		
XPZ 1900	3VX 750	
XPZ 1937		
XPZ 1962		
XPZ 1987		
XPZ 2000		
XPZ 2019		
XPZ 2037	3VX 800	
XPZ 2120		
XPZ 2187		
XPZ 2240		
XPZ 2280	3VX 900	
XPZ 2360		
XPZ 2500		

Peso della cinghia = 73 g/m

SEZIONE "XPA"		
Tipo	Sviluppo Est. (mm)	€/ cad.
XPA 612	630	
XPA 710	728	
XPA 732	750	
XPA 757	775	
XPA 782	800	
XPA 800	818	
XPA 807	825	
XPA 812	830	
XPA 832	850	
XPA 850	868	
XPA 857	875	
XPA 875	893	
XPA 882	900	
XPA 900	918	
XPA 907	925	
XPA 925	943	
XPA 932	950	
XPA 950	968	
XPA 957	975	
XPA 982	1000	
XPA 1000	1018	
XPA 1007	1025	
XPA 1012	1030	
XPA 1032	1050	
XPA 1048	1066	
XPA 1060	1078	
XPA 1082	1100	
XPA 1107	1125	
XPA 1120	1138	
XPA 1132	1150	
XPA 1150	1168	
XPA 1157	1175	
XPA 1180	1198	
XPA 1207	1225	
XPA 1232	1250	
XPA 1250	1268	
XPA 1257	1275	
XPA 1282	1300	
XPA 1307	1325	
XPA 1320	1338	
XPA 1332	1350	
XPA 1357	1375	
XPA 1382	1400	
XPA 1400	1418	
XPA 1407	1425	
XPA 1432	1450	
XPA 1450	1468	
XPA 1457	1475	
XPA 1482	1500	
XPA 1500	1518	
XPA 1507	1525	
XPA 1532	1550	
XPA 1550	1568	
XPA 1557	1575	
XPA 1582	1600	
XPA 1600	1618	
XPA 1607	1625	

ATTORGOMMA Snc di Fabio Rotta C.

SEZIONE "XPA"

Tipo	Sviluppo Est. (mm)	€ / cad.
XPA 1632	1650	
XPA 1682	1700	
XPA 1700	1718	
XPA 1707	1725	
XPA 1732	1750	
XPA 1757	1775	
XPA 1782	1800	
XPA 1800	1818	
XPA 1807	1825	
XPA 1832	1850	
XPA 1857	1875	
XPA 1882	1900	
XPA 1900	1918	
XPA 1907	1925	
XPA 1932	1950	
XPA 1957	1975	
XPA 1982	2000	
XPA 2000	2018	
XPA 2032	2050	
XPA 2057	2075	
XPA 2082	2100	
XPA 2120	2138	
XPA 2240	2258	
XPA 2282	2300	
XPA 2293	2311	
XPA 2300	2318	
XPA 2307	2325	
XPA 2360	2378	
XPA 2432	2450	
XPA 2482	2500	
XPA 2500	2518	
XPA 2580	2598	
XPA 2650	2668	
XPA 2682	2700	
XPA 2720	2738	
XPA 2800	2818	
XPA 3000	3018	
XPA 3150	3168	
XPA 3350	3368	
XPA 3550	3568	
XPA 3750	3768	
XPA 4000	4018	
XPA 4250	4268	
XPA 4500	4518	

Peso della cinghia = 122 g/m

SEZIONE "XPB"

Tipo	Norme Americane	€ / cad.
XPB 1250		
XPB 1260	5VX 500	
XPB 1270		
XPB 1320		
XPB 1340		
XPB 1350	5VX 530	
XPB 1360		
XPB 1400	5VX 560	
XPB 1450		
XPB 1470		
XPB 1500	5VX 600	
XPB 1514		
XPB 1550		
XPB 1600	5VX 630	
XPB 1650	5VX 650	
XPB 1690		
XPB 1700	5VX 670	
XPB 1750		
XPB 1800	5VX 710	
XPB 1900	5VX 750	
XPB 2000	5VX 800	
XPB 2060	5VX 820	
XPB 2120	5VX 840	
XPB 2240		
XPB 2280		
XPB 2360		
XPB 2400	5VX 950	
XPB 2500		
XPB 2530	5VX 1000	
XPB 2580		
XPB 2650		
XPB 2680	5VX 1060	
XPB 2710		
XPB 2730		
XPB 2800		
XPB 2840	5VX 1120	
XPB 2900		
XPB 3000	5VX 1180	
XPB 3150	5VX 1250	
XPB 3350	5VX 1320	
XPB 3550	5VX 1400	
XPB 3750		
XPB 3800		
XPB 3825	5VX 1500	
XPB 4000		
XPB 4050	5VX 1600	
XPB 4250		
XPB 4300	5VX 1700	
XPB 4550		

Peso della cinghia = 200 g/m

SEZIONE "XPC"

Tipo	Sviluppo Est. (mm)	€ / cad.
XPC 2000	2030	
XPC 2120	2150	
XPC 2240	2270	
XPC 2360	2390	
XPC 2500	2530	
XPC 2650	2680	
XPC 2800	2830	
XPC 3000	3030	
XPC 3150	3180	
XPC 3350	3380	
XPC 3550	3580	
XPC 3750	3780	
XPC 4000	4030	
XPC 4250	4280	
XPC 4500	4530	
XPC 5000	5030	

Peso della cinghia = 355 g/m