

ATTORGOMMA Snc di Fabio Rotta C.

| SEZIONE "Z" | | |
|-------------|--------------------|----------|
| Tipo | Sviluppo Int. (mm) | € / cad. |
| Z 12½ | 318 | |
| Z 14 | 355 | |
| Z 16 | 410 | |
| Z 17 | 432 | |
| Z 17¼ | 440 | |
| Z 17½ | 445 | |
| Z 18 | 460 | |
| Z 19 | 480 | |
| Z 19½ | 500 | |
| Z 20 | 508 | |
| Z 20½ | 520 | |
| Z 21 | 533 | |
| Z 21¼ | 535 | |
| Z 21¾ | 555 | |
| Z 22 | 560 | |
| Z 22¼ | 565 | |
| Z 23 | 585 | |
| Z 23¾ | 605 | |
| Z 24 | 610 | |
| Z 25 | 635 | |
| Z 25½ | 650 | |
| Z 26 | 660 | |
| Z 27 | 685 | |
| Z 27½ | 698 | |
| Z 28 | 710 | |
| Z 28½ | 725 | |
| Z 29 | 730 | |
| Z 29½ | 750 | |
| Z 30 | 762 | |
| Z 30½ | 775 | |
| Z 30¾ | 785 | |
| Z 31 | 790 | |
| Z 31½ | 800 | |
| Z 32 | 815 | |
| Z 33 | 840 | |
| Z 33½ | 852 | |
| Z 34 | 865 | |
| Z 34¼ | 870 | |
| Z 34½ | 876 | |
| Z 35 | 890 | |
| Z 35½ | 900 | |
| Z 36 | 915 | |
| Z 36¾ | 935 | |
| Z 37 | 940 | |
| Z 38 | 965 | |
| Z 38¼ | 975 | |
| Z 38½ | 978 | |
| Z 39 | 1000 | |
| Z 40 | 1016 | |
| Z 40½ | 1030 | |
| Z 41 | 1040 | |
| Z 41½ | 1050 | |
| Z 42 | 1070 | |
| Z 43 | 1090 | |
| Z 43¼ | 1100 | |
| Z 44 | 1120 | |
| Z 45 | 1143 | |

| SEZIONE "Z" | | |
|-------------|--------------------|----------|
| Tipo | Sviluppo Int. (mm) | € / cad. |
| Z 46 | 1180 | |
| Z 48 | 1225 | |
| Z 49 | 1245 | |
| Z 50 | 1270 | |
| Z 51 | 1300 | |
| Z 52 | 1320 | |
| Z 53 | 1346 | |
| Z 54 | 1371 | |
| Z 55 | 1400 | |
| Z 56 | 1422 | |
| Z 57 | 1450 | |
| Z 59 | 1499 | |
| Z 59½ | 1515 | |
| Z 60 | 1520 | |
| Z 61 | 1549 | |
| Z 62 | 1575 | |
| Z 63 | 1600 | |
| Z 64 | 1620 | |
| Z 65 | 1651 | |
| Z 66 | 1675 | |
| Z 67 | 1702 | |
| Z 68½ | 1735 | |
| Z 69 | 1750 | |
| Z 71 | 1803 | |
| Z 72 | 1829 | |

Peso della cinghia = 60 g/m

| SEZIONE "A" | | |
|-------------|--------------------|----------|
| Tipo | Sviluppo Int. (mm) | € / cad. |
| A 15 | 382 | |
| A 16 | 407 | |
| A 17 | 432 | |
| A 18 | 457 | |
| A 19 | 480 | |
| A 20 | 508 | |
| A 21 | 535 | |
| A 21¼ | 541 | |
| A 21¾ | 552 | |
| A 22 | 560 | |
| A 23 | 587 | |
| A 23½ | 600 | |
| A 24 | 610 | |
| A 25 | 637 | |
| A 25½ | 647 | |
| A 26 | 660 | |
| A 26 ½ | 670 | |
| A 27 | 686 | |
| A 28 | 710 | |
| A 29 | 737 | |
| A 29½ | 750 | |
| A 30 | 762 | |
| A 30½ | 775 | |
| A 31 | 787 | |
| A 31½ | 800 | |
| A 32 | 813 | |
| A 32½ | 825 | |
| A 33 | 838 | |
| A 33¼ | 847 | |
| A 33½ | 850 | |
| A 34 | 863 | |
| A 34½ | 875 | |
| A 35 | 890 | |
| A 36 | 914 | |
| A 37 | 940 | |
| A 37½ | 953 | |
| A 38 | 965 | |
| A 38½ | 978 | |
| A 39 | 990 | |
| A 40 | 1016 | |
| A 40½ | 1030 | |
| A 41 | 1041 | |
| A 42 | 1067 | |
| A 43 | 1092 | |
| A 43½ | 1105 | |
| A 44 | 1120 | |
| A 44½ | 1132 | |
| A 45 | 1143 | |
| A 46 | 1168 | |
| A 47 | 1194 | |
| A 48 | 1220 | |
| A 49 | 1250 | |
| A 50 | 1270 | |
| A 51 | 1300 | |
| A 51½ | 1307 | |
| A 52 | 1320 | |
| A 52½ | 1337 | |

ATTORGOMMA Snc di Fabio Rotta C.

| SEZIONE "A" | | |
|----------------------------------|--------------------|----------|
| Tipo | Sviluppo Int. (mm) | € / cad. |
| A 53 | 1346 | |
| A 53 ¹ / ₄ | 1355 | |
| A 53 ³ / ₄ | 1367 | |
| A 54 | 1372 | |
| A 55 | 1400 | |
| A 56 | 1422 | |
| A 57 | 1450 | |
| A 58 | 1475 | |
| A 59 | 1500 | |
| A 60 | 1525 | |
| A 61 | 1550 | |
| A 62 | 1575 | |
| A 63 | 1600 | |
| A 64 | 1625 | |
| A 65 | 1650 | |
| A 66 | 1676 | |
| A 67 | 1700 | |
| A 68 | 1725 | |
| A 69 | 1750 | |
| A 70 | 1775 | |
| A 71 | 1800 | |
| A 72 | 1825 | |
| A 73 | 1854 | |
| A 74 | 1880 | |
| A 75 | 1905 | |
| A 76 | 1930 | |
| A 77 | 1956 | |
| A 78 | 1980 | |
| A 79 | 2000 | |
| A 80 | 2032 | |
| A 81 | 2060 | |
| A 82 | 2083 | |
| A 83 | 2100 | |
| A 83 ¹ / ₂ | 2120 | |
| A 84 | 2134 | |
| A 85 | 2160 | |
| A 86 | 2187 | |
| A 87 | 2212 | |
| A 88 | 2240 | |
| A 89 | 2267 | |
| A 90 | 2286 | |
| A 91 | 2311 | |
| A 92 | 2337 | |
| A 93 | 2360 | |
| A 94 | 2388 | |
| A 95 | 2413 | |
| A 96 | 2438 | |
| A 97 | 2464 | |
| A 97 ¹ / ₂ | 2476 | |
| A 98 | 2490 | |
| A 99 | 2515 | |
| A 100 | 2540 | |
| A 102 | 2591 | |
| A 103 | 2616 | |
| A 104 | 2641 | |
| A 105 | 2667 | |
| A 107 | 2718 | |

| SEZIONE "A" | | |
|-------------|--------------------|----------|
| Tipo | Sviluppo Int. (mm) | € / cad. |
| A 108 | 2743 | |
| A 109 | 2768 | |
| A 110 | 2800 | |
| A 112 | 2845 | |
| A 113 | 2870 | |
| A 115 | 2920 | |
| A 116 | 2946 | |
| A 118 | 3000 | |
| A 120 | 3048 | |
| A 122 | 3099 | |
| A 124 | 3150 | |
| A 126 | 3200 | |
| A 127 | 3225 | |
| A 128 | 3250 | |
| A 130 | 3302 | |
| A 132 | 3350 | |
| A 134 | 3404 | |
| A 136 | 3454 | |
| A 138 | 3505 | |
| A 140 | 3550 | |
| A 142 | 3606 | |
| A 144 | 3658 | |
| A 146 | 3710 | |
| A 147 | 3734 | |
| A 148 | 3759 | |
| A 150 | 3810 | |
| A 155 | 3937 | |
| A 158 | 4000 | |
| A 162 | 4115 | |
| A 167 | 4250 | |
| A 173 | 4394 | |
| A 177 | 4500 | |
| A 180 | 4572 | |
| A 187 | 4750 | |
| A 197 | 5004 | |
| A 210 | 5334 | |
| A 217 | 5477 | |
| A 221 | 5613 | |
| A 223 | 5664 | |

Peso della cinghia = 100 g/m

| SEZIONE "B" | | |
|----------------------------------|--------------------|----------|
| Tipo | Sviluppo Int. (mm) | € / cad. |
| B 22 ¹ / ₂ | 570 | |
| B 23 | 587 | |
| B 24 | 612 | |
| B 24 ¹ / ₂ | 625 | |
| B 25 | 637 | |
| B 26 | 660 | |
| B 27 | 686 | |
| B 28 | 710 | |
| B 29 | 737 | |
| B 29 ¹ / ₂ | 750 | |
| B 30 | 762 | |
| B 30 ¹ / ₂ | 775 | |
| B 31 | 787 | |
| B 32 | 800 | |
| B 32 ¹ / ₄ | 822 | |
| B 32 ¹ / ₂ | 829 | |
| B 33 | 838 | |
| B 33 ¹ / ₂ | 850 | |
| B 34 | 863 | |
| B 34 ¹ / ₂ | 875 | |
| B 34 ³ / ₄ | 880 | |
| B 35 | 889 | |
| B 35 ¹ / ₂ | 900 | |
| B 35 ³ / ₄ | 907 | |
| B 36 | 917 | |
| B 36 ³ / ₄ | 937 | |
| B 37 | 942 | |
| B 38 | 965 | |
| B 38 ¹ / ₂ | 978 | |
| B 39 | 990 | |
| B 39 ¹ / ₂ | 1002 | |
| B 40 | 1016 | |
| B 40 ¹ / ₂ | 1028 | |
| B 41 | 1040 | |
| B 42 | 1067 | |
| B 42 ¹ / ₂ | 1079 | |
| B 43 | 1090 | |
| B 44 | 1120 | |
| B 44 ¹ / ₄ | 1127 | |
| B 45 | 1142 | |
| B 46 | 1168 | |
| B 46 ¹ / ₂ | 1180 | |
| B 46 ³ / ₄ | 1187 | |
| B 47 | 1194 | |
| B 47 ¹ / ₄ | 1200 | |
| B 47 ¹ / ₂ | 1207 | |
| B 48 | 1220 | |
| B 49 | 1250 | |
| B 50 | 1275 | |
| B 51 | 1300 | |
| B 52 | 1320 | |
| B 53 | 1350 | |
| B 53 ¹ / ₂ | 1360 | |
| B 54 | 1372 | |
| B 55 | 1400 | |
| B 55 ¹ / ₂ | 1412 | |
| B 56 | 1422 | |

ATTORGOMMA Snc di Fabio Rotta C.

| SEZIONE "B" | | |
|-------------|--------------------|----------|
| Tipo | Sviluppo Int. (mm) | € / cad. |
| B 57 | 1450 | |
| B 58 | 1473 | |
| B 59 | 1500 | |
| B 60 | 1525 | |
| B 61 | 1550 | |
| B 62 | 1575 | |
| B 63 | 1600 | |
| B 64 | 1625 | |
| B 64½ | 1637 | |
| B 65 | 1650 | |
| B 66 | 1676 | |
| B 66¼ | 1682 | |
| B 66½ | 1692 | |
| B 67 | 1700 | |
| B 67¼ | 1712 | |
| B 68 | 1725 | |
| B 69 | 1750 | |
| B 69½ | 1762 | |
| B 70 | 1775 | |
| B 71 | 1800 | |
| B 72 | 1829 | |
| B 73 | 1850 | |
| B 74 | 1880 | |
| B 75 | 1905 | |
| B 76 | 1930 | |
| B 77 | 1956 | |
| B 78 | 1981 | |
| B 79 | 2000 | |
| B 80 | 2032 | |
| B 81 | 2060 | |
| B 82 | 2083 | |
| B 83 | 2108 | |
| B 84 | 2134 | |
| B 85 | 2160 | |
| B 86 | 2187 | |
| B 87 | 2215 | |
| B 88 | 2240 | |
| B 89 | 2261 | |
| B 90 | 2286 | |
| B 91 | 2312 | |
| B 92 | 2337 | |
| B 93 | 2360 | |
| B 94 | 2388 | |
| B 95 | 2413 | |
| B 96 | 2438 | |
| B 97 | 2465 | |
| B 97½ | 2477 | |
| B 98 | 2500 | |
| B 99 | 2515 | |
| B 100 | 2540 | |
| B 101 | 2566 | |
| B 102 | 2600 | |
| B 103 | 2616 | |
| B 104 | 2641 | |
| B 105 | 2667 | |
| B 106 | 2700 | |
| B 107 | 2718 | |

| SEZIONE "B" | | |
|-------------|--------------------|----------|
| Tipo | Sviluppo Int. (mm) | € / cad. |
| B 108 | 2750 | |
| B 110 | 2800 | |
| B 112 | 2845 | |
| B 112½ | 2857 | |
| B 113 | 2870 | |
| B 114 | 2900 | |
| B 115 | 2921 | |
| B 116 | 2950 | |
| B 118 | 3000 | |
| B 120 | 3048 | |
| B 122 | 3100 | |
| B 124 | 3150 | |
| B 126 | 3200 | |
| B 127 | 3227 | |
| B 128 | 3250 | |
| B 130 | 3302 | |
| B 131 | 3327 | |
| B 132 | 3350 | |
| B 133 | 3378 | |
| B 134 | 3407 | |
| B 135 | 3429 | |
| B 136 | 3450 | |
| B 138 | 3505 | |
| B 140 | 3550 | |
| B 142 | 3607 | |
| B 144 | 3658 | |
| B 146 | 3709 | |
| B 147 | 3737 | |
| B 148 | 3750 | |
| B 151 | 3850 | |
| B 152 | 3861 | |
| B 154 | 3912 | |
| B 155 | 3950 | |
| B 157 | 3987 | |
| B 158 | 4000 | |
| B 161 | 4087 | |
| B 162 | 4115 | |
| B 163 | 4142 | |
| B 165 | 4200 | |
| B 167 | 4250 | |
| B 168 | 4267 | |
| B 169 | 4292 | |
| B 173 | 4394 | |
| B 175 | 4450 | |
| B 177 | 4500 | |
| B 180 | 4572 | |
| B 186 | 4727 | |
| B 187 | 4750 | |
| B 188 | 4777 | |
| B 190 | 4826 | |
| B 192 | 4877 | |
| B 195 | 4953 | |
| B 197 | 5000 | |
| B 200 | 5080 | |
| B 201 | 5105 | |
| B 204 | 5182 | |
| B 208 | 5285 | |

| SEZIONE "B" | | |
|-------------|--------------------|----------|
| Tipo | Sviluppo Int. (mm) | € / cad. |
| B 210 | 5334 | |
| B 212 | 5385 | |
| B 214 | 5436 | |
| B 217 | 5507 | |
| B 220 | 5588 | |
| B 221 | 5615 | |
| B 223 | 5664 | |
| B 224 | 5690 | |
| B 225 | 5715 | |
| B 228 | 5792 | |
| B 229 | 5816 | |
| B 232 | 5893 | |
| B 237 | 6020 | |
| B 240 | 6096 | |
| B 248 | 6300 | |
| B 249 | 6325 | |
| B 253 | 6426 | |
| B 255 | 6477 | |
| B 259 | 6579 | |
| B 265 | 6730 | |
| B 270 | 6858 | |
| B 276 | 7010 | |
| B 280 | 7112 | |
| B 285 | 7240 | |
| B 300 | 7620 | |
| B 315 | 8000 | |
| B 330 | 8382 | |
| B 345 | 8763 | |
| B 360 | 9145 | |
| B 361 | 9170 | |
| B 366 | 9296 | |
| B 374 | 9500 | |
| B 394½ | 10008 | |
| B 428 | 10885 | |
| B 433 | 11000 | |
| B 449 | 11400 | |
| B 472 | 11990 | |
| B 473 | 12014 | |
| B 488 | 12400 | |
| B 512 | 13000 | |
| B 551 | 13995 | |
| B 553 | 14046 | |
| B 583 | 14808 | |
| B 612 | 14808 | |

Peso della cinghia = 175 g/m

ATTORGOMMA Snc di Fabio Rotta C.

| SEZIONE "C" | | |
|---------------------|--------------------|----------|
| Tipo | Sviluppo Int. (mm) | € / cad. |
| C 39 | 990 | |
| C 39 ^{3/4} | 1013 | |
| C 41 | 1041 | |
| C 42 | 1067 | |
| C 43 | 1090 | |
| C 44 | 1120 | |
| C 45 | 1143 | |
| C 46 | 1168 | |
| C 47 | 1194 | |
| C 48 | 1220 | |
| C 49 | 1250 | |
| C 51 | 1295 | |
| C 52 | 1320 | |
| C 53 | 1350 | |
| C 54 | 1370 | |
| C 55 | 1400 | |
| C 56 | 1425 | |
| C 57 | 1448 | |
| C 58 | 1473 | |
| C 58 ^{1/2} | 1486 | |
| C 59 | 1500 | |
| C 60 | 1524 | |
| C 61 | 1550 | |
| C 62 | 1574 | |
| C 62 ^{1/4} | 1583 | |
| C 63 | 1600 | |
| C 65 | 1650 | |
| C 66 | 1676 | |
| C 67 | 1702 | |
| C 68 | 1727 | |
| C 69 | 1753 | |
| C 70 | 1778 | |
| C 71 | 1804 | |
| C 71 ^{1/2} | 1816 | |
| C 72 | 1829 | |
| C 73 | 1854 | |
| C 74 | 1880 | |
| C 75 | 1905 | |
| C 76 | 1925 | |
| C 78 | 1981 | |
| C 79 | 2006 | |
| C 80 | 2032 | |
| C 81 | 2057 | |
| C 82 | 2082 | |
| C 83 | 2108 | |
| C 84 | 2134 | |
| C 85 | 2159 | |
| C 86 | 2184 | |
| C 87 | 2208 | |
| C 88 | 2235 | |
| C 89 | 2260 | |
| C 90 | 2286 | |
| C 91 | 2311 | |
| C 92 | 2336 | |
| C 93 | 2360 | |
| C 94 | 2388 | |
| C 95 | 2413 | |

| SEZIONE "C" | | |
|----------------------|--------------------|----------|
| Tipo | Sviluppo Int. (mm) | € / cad. |
| C 96 | 2438 | |
| C 97 | 2462 | |
| C 97 ^{1/2} | 2475 | |
| C 98 | 2489 | |
| C 99 | 2525 | |
| C 100 | 2540 | |
| C 101 | 2560 | |
| C 102 | 2591 | |
| C 104 | 2642 | |
| C 105 | 2667 | |
| C 106 | 2692 | |
| C 108 | 2750 | |
| C 110 | 2800 | |
| C 111 | 2818 | |
| C 112 | 2845 | |
| C 112 ^{1/2} | 2857 | |
| C 114 | 2896 | |
| C 115 | 2921 | |
| C 116 | 2950 | |
| C 117 | 2971 | |
| C 118 | 3000 | |
| C 120 | 3048 | |
| C 122 | 3100 | |
| C 124 | 3150 | |
| C 126 | 3200 | |
| C 128 | 3250 | |
| C 130 | 3302 | |
| C 132 | 3350 | |
| C 134 | 3404 | |
| C 136 | 3456 | |
| C 138 | 3505 | |
| C 140 | 3550 | |
| C 142 | 3607 | |
| C 144 | 3658 | |
| C 145 | 3682 | |
| C 146 | 3708 | |
| C 147 | 3733 | |
| C 148 | 3750 | |
| C 150 | 3810 | |
| C 152 | 3860 | |
| C 153 | 3902 | |
| C 154 | 3912 | |
| C 158 | 4000 | |
| C 160 | 4064 | |
| C 162 | 4115 | |
| C 165 | 4193 | |
| C 166 | 4216 | |
| C 168 | 4267 | |
| C 170 | 4318 | |
| C 173 | 4394 | |
| C 175 | 4445 | |
| C 177 | 4500 | |
| C 178 | 4522 | |
| C 180 | 4572 | |
| C 185 | 4699 | |
| C 187 | 4750 | |
| C 189 | 4800 | |

| SEZIONE "C" | | |
|-------------|--------------------|----------|
| Tipo | Sviluppo Int. (mm) | € / cad. |
| C 193 | 4900 | |
| C 195 | 4953 | |
| C 197 | 5004 | |
| C 200 | 5080 | |
| C 204 | 5182 | |
| C 208 | 5285 | |
| C 210 | 5334 | |
| C 212 | 5384 | |
| C 215 | 5461 | |
| C 216 | 5486 | |
| C 218 | 5537 | |
| C 220 | 5588 | |
| C 222 | 5638 | |
| C 223 | 5664 | |
| C 224 | 5690 | |
| C 225 | 5715 | |
| C 228 | 5792 | |
| C 230 | 5842 | |
| C 236 | 5995 | |
| C 238 | 6045 | |
| C 240 | 6096 | |
| C 248 | 6300 | |
| C 250 | 6350 | |
| C 255 | 6477 | |
| C 260 | 6604 | |
| C 261 | 6629 | |
| C 265 | 6730 | |
| C 268 | 6807 | |
| C 270 | 6858 | |
| C 276 | 7010 | |
| C 280 | 7112 | |
| C 285 | 7240 | |
| C 297 | 7544 | |
| C 300 | 7620 | |
| C 303 | 7696 | |
| C 314 | 7975 | |
| C 315 | 8000 | |
| C 316 | 8026 | |
| C 330 | 8382 | |
| C 336 | 8535 | |
| C 345 | 8763 | |
| C 348 | 8839 | |
| C 350 | 8890 | |
| C 352 | 8940 | |
| C 354 | 8992 | |
| C 360 | 9145 | |
| C 394 | 10008 | |
| C 420 | 10668 | |
| C 424 | 10770 | |
| C 440 | 11176 | |
| C 452 | 11480 | |
| C 464 | 11785 | |
| C 480 | 12192 | |
| C 482 | 12243 | |

Peso della cinghia = 300 g/m

ATTORGOMMA Snc di Fabio Rotta C.

SEZIONE "D"

| Tipo | Sviluppo Int. (mm) | €/ cad. |
|-------|--------------------|---------|
| D 93 | 2362 | |
| D 98 | 2490 | |
| D 101 | 2565 | |
| D 104 | 2641 | |
| D 110 | 2795 | |
| D 118 | 3000 | |
| D 120 | 3048 | |
| D 124 | 3150 | |
| D 125 | 3175 | |
| D 128 | 3251 | |
| D 135 | 3429 | |
| D 136 | 3454 | |
| D 137 | 3480 | |
| D 140 | 3555 | |
| D 144 | 3658 | |
| D 148 | 3760 | |
| D 150 | 3810 | |
| D 154 | 3912 | |
| D 158 | 4013 | |
| D 162 | 4115 | |
| D 167 | 4241 | |
| D 170 | 4318 | |
| D 173 | 4394 | |
| D 177 | 4496 | |
| D 180 | 4572 | |
| D 187 | 4750 | |
| D 192 | 4877 | |
| D 195 | 4953 | |
| D 197 | 5004 | |
| D 204 | 5182 | |
| D 205 | 5208 | |
| D 207 | 5259 | |
| D 210 | 5334 | |
| D 223 | 5664 | |
| D 225 | 5715 | |
| D 236 | 5995 | |
| D 238 | 6045 | |
| D 240 | 6096 | |
| D 248 | 6300 | |
| D 250 | 6350 | |
| D 255 | 6477 | |
| D 260 | 6604 | |
| D 266 | 6756 | |
| D 270 | 6858 | |
| D 280 | 7112 | |
| D 282 | 7163 | |
| D 285 | 7240 | |
| D 295 | 7493 | |
| D 298 | 7570 | |
| D 300 | 7620 | |
| D 314 | 7975 | |
| D 316 | 8026 | |
| D 326 | 8280 | |
| D 330 | 8382 | |
| D 335 | 8509 | |
| D 345 | 8763 | |
| D 354 | 8991 | |

SEZIONE "D"

| Tipo | Sviluppo Int. (mm) | €/ cad. |
|-------|--------------------|---------|
| D 360 | 9145 | |
| D 374 | 9500 | |
| D 385 | 9780 | |
| D 390 | 9905 | |
| D 394 | 10008 | |
| D 420 | 10668 | |
| D 441 | 11200 | |
| D 450 | 11430 | |
| D 460 | 11685 | |
| D 480 | 12192 | |
| D 500 | 12700 | |
| D 540 | 13716 | |
| D 570 | 14478 | |

Peso della cinghia = 610 g/m

SEZIONE "E"

| Tipo | Sviluppo Int. (mm) | €/ cad. |
|-------|--------------------|---------|
| E 180 | 4575 | |
| E 197 | 5000 | |
| E 210 | 5335 | |
| E 226 | 5740 | |
| E 240 | 6096 | |
| E 245 | 6223 | |
| E 248 | 6300 | |
| E 255 | 6477 | |
| E 270 | 6858 | |
| E 285 | 7240 | |
| E 300 | 7620 | |
| E 316 | 8026 | |
| E 330 | 8382 | |
| E 345 | 8763 | |
| E 360 | 9145 | |
| E 361 | 9169 | |
| E 392 | 9957 | |
| E 394 | 10008 | |
| E 396 | 10058 | |
| E 416 | 10566 | |
| E 420 | 10668 | |
| E 441 | 11200 | |
| E 453 | 11506 | |
| E 456 | 11582 | |
| E 460 | 11684 | |
| E 470 | 11938 | |
| E 475 | 12065 | |
| E 480 | 12190 | |
| E 492 | 12497 | |
| E 520 | 13208 | |

Peso della cinghia = 930 g/m

ATTORGOMMA Snc di Fabio Rotta C.

| SEZIONE "SPZ" | | |
|---------------|-------------------|----------|
| Tipo | Sviluppo Est.(mm) | € / cad. |
| SPZ 512 | 525 | |
| SPZ 562 | 575 | |
| SPZ 587 | 600 | |
| SPZ 607 | 620 | |
| SPZ 612 | 625 | |
| SPZ 630 | 643 | |
| SPZ 637 | 650 | |
| SPZ 662 | 675 | |
| SPZ 670 | 683 | |
| SPZ 687 | 700 | |
| SPZ 710 | 723 | |
| SPZ 722 | 735 | |
| SPZ 737 | 750 | |
| SPZ 750 | 763 | |
| SPZ 762 | 775 | |
| SPZ 772 | 785 | |
| SPZ 787 | 800 | |
| SPZ 800 | 813 | |
| SPZ 812 | 825 | |
| SPZ 825 | 838 | |
| SPZ 837 | 850 | |
| SPZ 850 | 863 | |
| SPZ 862 | 875 | |
| SPZ 875 | 888 | |
| SPZ 887 | 900 | |
| SPZ 900 | 913 | |
| SPZ 912 | 925 | |
| SPZ 922 | 935 | |
| SPZ 937 | 950 | |
| SPZ 950 | 963 | |
| SPZ 957 | 970 | |
| SPZ 962 | 975 | |
| SPZ 987 | 1000 | |
| SPZ 1000 | 1013 | |
| SPZ 1012 | 1025 | |
| SPZ 1024 | 1037 | |
| SPZ 1037 | 1050 | |
| SPZ 1047 | 1060 | |
| SPZ 1060 | 1073 | |
| SPZ 1077 | 1090 | |
| SPZ 1087 | 1100 | |
| SPZ 1112 | 1125 | |
| SPZ 1120 | 1133 | |
| SPZ 1137 | 1150 | |
| SPZ 1147 | 1160 | |
| SPZ 1150 | 1163 | |
| SPZ 1162 | 1175 | |
| SPZ 1180 | 1193 | |
| SPZ 1187 | 1200 | |
| SPZ 1202 | 1215 | |
| SPZ 1212 | 1225 | |
| SPZ 1237 | 1250 | |
| SPZ 1250 | 1263 | |
| SPZ 1262 | 1275 | |
| SPZ 1270 | 1283 | |
| SPZ 1280 | 1293 | |
| SPZ 1287 | 1300 | |

| SEZIONE "SPZ" | | |
|---------------|-------------------|----------|
| Tipo | Sviluppo Est.(mm) | € / cad. |
| SPZ 1312 | 1325 | |
| SPZ 1314 | 1327 | |
| SPZ 1320 | 1333 | |
| SPZ 1337 | 1350 | |
| SPZ 1347 | 1360 | |
| SPZ 1362 | 1375 | |
| SPZ 1387 | 1400 | |
| SPZ 1400 | 1413 | |
| SPZ 1412 | 1425 | |
| SPZ 1437 | 1450 | |
| SPZ 1462 | 1475 | |
| SPZ 1487 | 1500 | |
| SPZ 1500 | 1513 | |
| SPZ 1512 | 1525 | |
| SPZ 1537 | 1550 | |
| SPZ 1562 | 1575 | |
| SPZ 1587 | 1600 | |
| SPZ 1600 | 1613 | |
| SPZ 1612 | 1625 | |
| SPZ 1637 | 1650 | |
| SPZ 1650 | 1663 | |
| SPZ 1662 | 1675 | |
| SPZ 1687 | 1700 | |
| SPZ 1700 | 1713 | |
| SPZ 1737 | 1750 | |
| SPZ 1750 | 1763 | |
| SPZ 1762 | 1775 | |
| SPZ 1787 | 1800 | |
| SPZ 1800 | 1813 | |
| SPZ 1812 | 1825 | |
| SPZ 1837 | 1850 | |
| SPZ 1850 | 1863 | |
| SPZ 1862 | 1875 | |
| SPZ 1880 | 1893 | |
| SPZ 1887 | 1900 | |
| SPZ 1900 | 1913 | |
| SPZ 1937 | 1950 | |
| SPZ 1950 | 1963 | |
| SPZ 1962 | 1975 | |
| SPZ 1987 | 2000 | |
| SPZ 2000 | 2013 | |
| SPZ 2019 | 2032 | |
| SPZ 2037 | 2050 | |
| SPZ 2062 | 2075 | |
| SPZ 2087 | 2100 | |
| SPZ 2120 | 2133 | |
| SPZ 2137 | 2150 | |
| SPZ 2187 | 2200 | |
| SPZ 2240 | 2253 | |
| SPZ 2262 | 2275 | |
| SPZ 2287 | 2300 | |
| SPZ 2360 | 2373 | |
| SPZ 2437 | 2450 | |
| SPZ 2487 | 2500 | |
| SPZ 2500 | 2513 | |
| SPZ 2580 | 2593 | |
| SPZ 2650 | 2663 | |

| SEZIONE "SPZ" | | |
|---------------|-------------------|----------|
| Tipo | Sviluppo Est.(mm) | € / cad. |
| SPZ 2687 | 2700 | |
| SPZ 2720 | 2733 | |
| SPZ 2800 | 2813 | |
| SPZ 3000 | 3013 | |
| SPZ 3150 | 3163 | |
| SPZ 3350 | 3363 | |
| SPZ 3550 | 3563 | |

Peso della cinghia = 70 g/m

ATTORGOMMA Snc di Fabio Rotta C.

| SEZIONE "SPA" | | |
|---------------|-------------------|----------|
| Tipo | Sviluppo Est.(mm) | € / cad. |
| SPA 647 | 665 | |
| SPA 707 | 725 | |
| SPA 732 | 750 | |
| SPA 757 | 775 | |
| SPA 762 | 780 | |
| SPA 782 | 800 | |
| SPA 800 | 818 | |
| SPA 807 | 825 | |
| SPA 832 | 850 | |
| SPA 850 | 868 | |
| SPA 857 | 875 | |
| SPA 882 | 900 | |
| SPA 900 | 918 | |
| SPA 907 | 925 | |
| SPA 925 | 943 | |
| SPA 932 | 950 | |
| SPA 950 | 968 | |
| SPA 957 | 975 | |
| SPA 982 | 1000 | |
| SPA 1000 | 1018 | |
| SPA 1007 | 1025 | |
| SPA 1032 | 1050 | |
| SPA 1060 | 1078 | |
| SPA 1082 | 1100 | |
| SPA 1107 | 1125 | |
| SPA 1120 | 1138 | |
| SPA 1132 | 1150 | |
| SPA 1157 | 1175 | |
| SPA 1180 | 1198 | |
| SPA 1207 | 1225 | |
| SPA 1232 | 1250 | |
| SPA 1250 | 1268 | |
| SPA 1257 | 1275 | |
| SPA 1272 | 1290 | |
| SPA 1282 | 1300 | |
| SPA 1307 | 1325 | |
| SPA 1320 | 1338 | |
| SPA 1332 | 1350 | |
| SPA 1357 | 1375 | |
| SPA 1382 | 1400 | |
| SPA 1400 | 1418 | |
| SPA 1407 | 1425 | |
| SPA 1425 | 1443 | |
| SPA 1432 | 1450 | |
| SPA 1457 | 1475 | |
| SPA 1482 | 1500 | |
| SPA 1500 | 1518 | |
| SPA 1507 | 1525 | |
| SPA 1532 | 1550 | |
| SPA 1557 | 1575 | |
| SPA 1582 | 1600 | |
| SPA 1600 | 1618 | |
| SPA 1607 | 1625 | |
| SPA 1632 | 1650 | |
| SPA 1650 | 1668 | |
| SPA 1657 | 1675 | |
| SPA 1682 | 1700 | |

| SEZIONE "SPA" | | |
|---------------|-------------------|----------|
| Tipo | Sviluppo Est.(mm) | € / cad. |
| SPA 1700 | 1718 | |
| SPA 1707 | 1725 | |
| SPA 1732 | 1750 | |
| SPA 1757 | 1775 | |
| SPA 1782 | 1800 | |
| SPA 1800 | 1818 | |
| SPA 1807 | 1825 | |
| SPA 1832 | 1850 | |
| SPA 1857 | 1875 | |
| SPA 1882 | 1900 | |
| SPA 1900 | 1918 | |
| SPA 1907 | 1925 | |
| SPA 1925 | 1943 | |
| SPA 1932 | 1950 | |
| SPA 1957 | 1975 | |
| SPA 1982 | 2000 | |
| SPA 2000 | 2018 | |
| SPA 2032 | 2050 | |
| SPA 2057 | 2075 | |
| SPA 2067 | 2085 | |
| SPA 2082 | 2100 | |
| SPA 2120 | 2138 | |
| SPA 2132 | 2150 | |
| SPA 2182 | 2200 | |
| SPA 2207 | 2225 | |
| SPA 2232 | 2250 | |
| SPA 2240 | 2258 | |
| SPA 2282 | 2300 | |
| SPA 2300 | 2318 | |
| SPA 2307 | 2325 | |
| SPA 2332 | 2350 | |
| SPA 2360 | 2378 | |
| SPA 2382 | 2400 | |
| SPA 2432 | 2450 | |
| SPA 2482 | 2500 | |
| SPA 2500 | 2518 | |
| SPA 2532 | 2550 | |
| SPA 2580 | 2598 | |
| SPA 2582 | 2600 | |
| SPA 2607 | 2625 | |
| SPA 2632 | 2650 | |
| SPA 2650 | 2668 | |
| SPA 2682 | 2700 | |
| SPA 2720 | 2738 | |
| SPA 2725 | 2743 | |
| SPA 2732 | 2750 | |
| SPA 2782 | 2800 | |
| SPA 2800 | 2818 | |
| SPA 2832 | 2850 | |
| SPA 2847 | 2865 | |
| SPA 2882 | 2900 | |
| SPA 2932 | 2950 | |
| SPA 2982 | 3000 | |
| SPA 3000 | 3018 | |
| SPA 3032 | 3050 | |
| SPA 3082 | 3100 | |
| SPA 3150 | 3168 | |

| SEZIONE "SPA" | | |
|---------------|-------------------|----------|
| Tipo | Sviluppo Est.(mm) | € / cad. |
| SPA 3182 | 3200 | |
| SPA 3250 | 3268 | |
| SPA 3282 | 3300 | |
| SPA 3350 | 3368 | |
| SPA 3382 | 3400 | |
| SPA 3400 | 3418 | |
| SPA 3450 | 3468 | |
| SPA 3482 | 3500 | |
| SPA 3550 | 3568 | |
| SPA 3650 | 3668 | |
| SPA 3750 | 3768 | |
| SPA 4000 | 4018 | |
| SPA 4250 | 4268 | |
| SPA 4500 | 4518 | |

Peso della cinghia = 120 g/m

ATTORGOMMA Snc di Fabio Rotta C.

SEZIONE "SPB"

| Tipo | Sviluppo Est.(mm) | € / cad. |
|----------|-------------------|----------|
| SPB 1250 | 1272 | |
| SPB 1280 | 1302 | |
| SPB 1320 | 1342 | |
| SPB 1360 | 1382 | |
| SPB 1400 | 1422 | |
| SPB 1450 | 1472 | |
| SPB 1500 | 1522 | |
| SPB 1600 | 1622 | |
| SPB 1650 | 1672 | |
| SPB 1700 | 1722 | |
| SPB 1750 | 1772 | |
| SPB 1757 | 1779 | |
| SPB 1800 | 1822 | |
| SPB 1850 | 1872 | |
| SPB 1860 | 1882 | |
| SPB 1900 | 1922 | |
| SPB 1950 | 1972 | |
| SPB 2000 | 2022 | |
| SPB 2020 | 2042 | |
| SPB 2060 | 2082 | |
| SPB 2110 | 2132 | |
| SPB 2120 | 2142 | |
| SPB 2180 | 2202 | |
| SPB 2240 | 2262 | |
| SPB 2246 | 2268 | |
| SPB 2264 | 2286 | |
| SPB 2300 | 2322 | |
| SPB 2320 | 2342 | |
| SPB 2360 | 2382 | |
| SPB 2391 | 2413 | |
| SPB 2410 | 2432 | |
| SPB 2430 | 2452 | |
| SPB 2500 | 2522 | |
| SPB 2530 | 2552 | |
| SPB 2580 | 2602 | |
| SPB 2650 | 2672 | |
| SPB 2680 | 2702 | |
| SPB 2720 | 2742 | |
| SPB 2780 | 2802 | |
| SPB 2800 | 2822 | |
| SPB 2840 | 2862 | |
| SPB 2900 | 2922 | |
| SPB 3000 | 3022 | |
| SPB 3070 | 3092 | |
| SPB 3150 | 3172 | |
| SPB 3170 | 3192 | |
| SPB 3250 | 3272 | |
| SPB 3350 | 3372 | |
| SPB 3425 | 3447 | |
| SPB 3450 | 3472 | |
| SPB 3550 | 3572 | |
| SPB 3650 | 3672 | |
| SPB 3675 | 3697 | |
| SPB 3750 | 3772 | |
| SPB 3800 | 3822 | |
| SPB 3870 | 3892 | |
| SPB 4000 | 4022 | |

SEZIONE "SPB"

| Tipo | Sviluppo Est.(mm) | € / cad. |
|----------|-------------------|----------|
| SPB 4060 | 4082 | |
| SPB 4120 | 4142 | |
| SPB 4250 | 4272 | |
| SPB 4310 | 4332 | |
| SPB 4370 | 4392 | |
| SPB 4500 | 4522 | |
| SPB 4750 | 4772 | |
| SPB 4870 | 4892 | |
| SPB 5000 | 5022 | |
| SPB 5300 | 5322 | |
| SPB 5600 | 5622 | |
| SPB 6000 | 6022 | |
| SPB 6300 | 6322 | |
| SPB 6450 | 6472 | |
| SPB 6700 | 6722 | |
| SPB 7100 | 7122 | |
| SPB 7500 | 7522 | |
| SPB 8000 | 8022 | |
| SPB 8500 | 8522 | |

Peso della cinghia = 195 g/m

SEZIONE "SPC"

| Tipo | Sviluppo Est.(mm) | € / cad. |
|-----------|-------------------|----------|
| SPC 2000 | 2030 | |
| SPC 2120 | 2150 | |
| SPC 2240 | 2270 | |
| SPC 2360 | 2390 | |
| SPC 2500 | 2530 | |
| SPC 2600 | 2630 | |
| SPC 2650 | 2680 | |
| SPC 2800 | 2830 | |
| SPC 3000 | 3030 | |
| SPC 3150 | 3180 | |
| SPC 3350 | 3380 | |
| SPC 3550 | 3580 | |
| SPC 3750 | 3780 | |
| SPC 4000 | 4030 | |
| SPC 4250 | 4280 | |
| SPC 4500 | 4530 | |
| SPC 4750 | 4780 | |
| SPC 5000 | 5030 | |
| SPC 5300 | 5330 | |
| SPC 5600 | 5630 | |
| SPC 6000 | 6030 | |
| SPC 6300 | 6330 | |
| SPC 6700 | 6730 | |
| SPC 7100 | 7130 | |
| SPC 7500 | 7530 | |
| SPC 8000 | 8030 | |
| SPC 8500 | 8530 | |
| SPC 9000 | 9030 | |
| SPC 9500 | 9530 | |
| SPC 10000 | 10030 | |
| SPC 10600 | 10630 | |
| SPC 11200 | 11230 | |
| SPC 11600 | 11630 | |
| SPC 11800 | 11830 | |
| SPC 12000 | 12030 | |
| SPC 12400 | 12430 | |
| SPC 12500 | 12530 | |
| SPC 15000 | 15030 | |

Peso della cinghia = 365 g/m

ATTORGOMMA Snc di Fabio Rotta C.

| SEZIONE "3V" | | |
|--------------|-------------------|----------|
| Tipo | Sviluppo Est.(mm) | € / cad. |
| 3V 250 | 635 | |
| 3V 265 | 675 | |
| 3V 280 | 710 | |
| 3V 300 | 760 | |
| 3V 315 | 800 | |
| 3V 335 | 850 | |
| 3V 355 | 900 | |
| 3V 375 | 955 | |
| 3V 400 | 1015 | |
| 3V 425 | 1080 | |
| 3V 450 | 1145 | |
| 3V 475 | 1205 | |
| 3V 500 | 1270 | |
| 3V 530 | 1345 | |
| 3V 560 | 1420 | |
| 3V 600 | 1525 | |
| 3V 630 | 1600 | |
| 3V 670 | 1700 | |
| 3V 710 | 1805 | |
| 3V 750 | 1905 | |
| 3V 800 | 2030 | |
| 3V 850 | 2160 | |
| 3V 900 | 2285 | |
| 3V 950 | 2415 | |
| 3V 1000 | 2540 | |
| 3V 1060 | 2690 | |
| 3V 1120 | 2845 | |
| 3V 1180 | 2995 | |
| 3V 1250 | 3175 | |
| 3V 1320 | 3355 | |
| 3V 1400 | 3555 | |

Peso della cinghia = 90 g/m

| SEZIONE "5V" | | |
|--------------|-------------------|----------|
| Tipo | Sviluppo Est.(mm) | € / cad. |
| 5V 500 | 1270 | |
| 5V 530 | 1345 | |
| 5V 560 | 1420 | |
| 5V 600 | 1525 | |
| 5V 630 | 1600 | |
| 5V 670 | 1700 | |
| 5V 710 | 1805 | |
| 5V 750 | 1905 | |
| 5V 800 | 2030 | |
| 5V 850 | 2160 | |
| 5V 900 | 2285 | |
| 5V 950 | 2415 | |
| 5V 1000 | 2540 | |
| 5V 1060 | 2690 | |
| 5V 1120 | 2845 | |
| 5V 1180 | 2995 | |
| 5V 1250 | 3175 | |
| 5V 1320 | 3355 | |
| 5V 1400 | 3555 | |
| 5V 1500 | 3810 | |
| 5V 1600 | 4065 | |
| 5V 1700 | 4320 | |
| 5V 1800 | 4570 | |
| 5V 1900 | 4825 | |
| 5V 2000 | 5080 | |
| 5V 2120 | 5385 | |
| 5V 2240 | 5690 | |
| 5V 2360 | 5995 | |
| 5V 2500 | 6350 | |
| 5V 2650 | 6730 | |
| 5V 2800 | 7110 | |
| 5V 3000 | 7620 | |
| 5V 3150 | 8000 | |
| 5V 3350 | 8515 | |
| 5V 3550 | 9015 | |

Peso della cinghia = 210 g/m

| SEZIONE "8V" | | |
|--------------|-------------------|----------|
| Tipo | Sviluppo Est.(mm) | € / cad. |
| 8V 1000 | 2540 | |
| 8V 1060 | 2690 | |
| 8V 1120 | 2845 | |
| 8V 1180 | 2995 | |
| 8V 1250 | 3175 | |
| 8V 1320 | 3355 | |
| 8V 1400 | 3555 | |
| 8V 1500 | 3810 | |
| 8V 1600 | 4065 | |
| 8V 1700 | 4320 | |
| 8V 1800 | 4570 | |
| 8V 1900 | 4825 | |
| 8V 2000 | 5080 | |
| 8V 2120 | 5385 | |
| 8V 2240 | 5690 | |
| 8V 2360 | 5995 | |
| 8V 2500 | 6350 | |
| 8V 2650 | 6730 | |
| 8V 2800 | 7110 | |
| 8V 3000 | 7620 | |
| 8V 3150 | 8000 | |
| 8V 3350 | 8509 | |
| 8V 3550 | 9017 | |
| 8V 3750 | 9525 | |
| 8V 4000 | 10160 | |
| 8V 4250 | 10795 | |
| 8V 4500 | 11430 | |
| 8V 4750 | 12065 | |
| 8V 5000 | 12700 | |

Peso della cinghia = 620 g/m